PATENT

ATTORNEY DOCKET NO.: 46884-5427

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Katsumi SHIBAYAMA)	Confirmation No.: 4347
U.S. Application No.: 10/550,689)	Group Art Unit: Unassigned
Filed: September 26, 2005)	Examiner: Unassigned
For: PHOTODIODE ARRAY AND PRODUCTI METHOD THEREOF, AND RADIATION DETECTOR) ON))	

Commissioner of Patents MAIL STOP PCT

SUBMISSION OF REPLACEMENT DRAWINGS

Filed herewith are twenty seven (27) replacement sheets of drawings containing Figures 1-27. These replacement sheets of drawings are submitted to improve the form of the drawings. It is requested that these drawings be approved and made part of the official record in the above-identified patent application.

If there are any fees due in connection with the filing of these drawings, please charge the fees to our Deposit Account No. 50-0573.

Respectfully submitted,

DRINKER, BIDDLE & REATH LLP

Peter J. Sistare

Reg. No. 48,183

Dated: July 21, 2006 Customer No. 55694

DRINKER BIDDLE & REATH LLP 1500 K. Street, N.W., Suite 1100 Washington, DC 20005-1209

Tel: (202) 842-8800 Fax: (202) 204-0289